

CALFED Game 6
Game Description Draft
19-Jun-00

Baseline Assumptions		Description	Questions
Level of Development		1995	
Refuge Supplies		Level 2	
Trinity		390 - 750. Limit flows to 6 kcfs first two years	
American River		Interpolate between D 893 and D 1400	
BOs (not take limits)		2:1 April/May is 50% CVP/ 50% EWA.	EWA Charged each year?
Delta Standards		D 1641	
CVPIA Assumptions			
Reset		Per Framework	
Offset		Per Framework	
450 kaf Cap		Assume purchases to reduce impacts to cap	Right?
Export Level 4 Refuge		Dry Year NOD Purchases in Sacto Basin	Get Volume from Burke
Compute WQCP Impacts:		Compare Baseline CALSIM with D 1485 CALSIM	
EWA/b(2) Assets			
Asset	Quantity	EWA/b(2) Share	Project Share
Groundwater Storage Capac	200 kaf	100%	
Grounwater Storage. Initial	200 kaf	100%	
Export Area Purchase	150 kaf	100%	
Upstream Purchase	50 kaf	100%	
E/I Relaxation		100%	
State Gain		50%	50% SWP
Banks Expansion July - Sep	500 cfs	100%	
JPOD After Cross Valley		50%	50%
Source Shift	100 kaf	100%	
Priorities for Shifting Water into Export Area			
Storage Shifts First, then Transfers			
Within Each Category, CVP and EWA have right to 50% of available capacity.			Right?